

# VILLAGE OF LAKE GEORGE, NEW YORK



P. O. BOX 791  
Lake George, NY 12845  
518-668-5771 FAX: 518-668-3735

MAYOR  
Ray Perry

PLANNING AND ZONING CLERK  
Debonnay Meyers  
Email: [planning@lgvillage.org](mailto:planning@lgvillage.org)  
518-668-5771 x30

## TRUSTEES

Joseph Mastrodomenico Jose Filomeno  
Alyson Miller Michael Menter

CODE ENFORCEMENT OFFICER  
James Anagnos

ZONING ADMINISTRATOR  
Dan Barusch  
Email: [dbarusch@townoflakegeorge.gov](mailto:dbarusch@townoflakegeorge.gov)  
518-668-5722 x5

## **GREASE, OIL AND SAND INTERCEPTORS OR SEPARATORS – APPLICATION**

**WHEN THIS APPLICATION IS APPROVED BY THE VILLAGE OF LAKE GEORGE, THIS APPLICATION WILL SERVE AS YOUR PERMIT.**

The permit shall not be issued until a determination is made by the Superintendent that the equipment is of a sufficient size, design and location and that the applicant's plans for cleaning and maintenance are sufficient to ensure compliance with this section and with the standards set forth in §166-27 and to ensure proper disposal of all grease and oil removed during cleaning.

**THIS SECTION WILL BE COMPLETED BY  
THE LAKE GEORGE VILLAGE ADMINISTRATION OFFICE.**

TAX MAP NO.		ZONE:					
PERMIT NO.		FEE:	\$100.00	DATE PAID:		CHECK NO. OR CASH	

### **APPLICANT TO COMPLETE THE FOLLOWING**

APPLICANT NAME:					MAILING ADDRESS:		
WHAT IS THE NAME OF THE BUSINESS AND ADDRESS THAT THIS APPLICATION APPLIES TO?							
APPLICANT HOME PHONE:	AREA CODE		BUSINESS PHONE:	AREA CODE		CELL PHONE:	AREA CODE
EMAIL						FAX	
OWNER NAME IF DIFFERENT FROM APPLICANT:							
OWNER MAILING ADDRESS:					PHONE:		

## VILLAGE OF LAKE GEORGE, NEW YORK



P. O. BOX 791  
Lake George, NY 12845  
518-668-5771 FAX: 518-668-3735

MAYOR  
Ray Perry

PLANNING AND ZONING CLERK  
Debonnay Meyers  
Email: [planning@lgvillage.org](mailto:planning@lgvillage.org)  
518-668-5771 x30

### TRUSTEES

Joseph Mastrodomenico Jose Filomeno  
Alyson Miller Michael Menter

CODE ENFORCEMENT OFFICER  
James Anagnos

ZONING ADMINISTRATOR  
Dan Barusch  
Email: [dbarusch@townoflakegeorge.gov](mailto:dbarusch@townoflakegeorge.gov)  
518-668-5722 x5

### GREASE TRAP

HOW MANY?	LOCATION?	SIZE?
WHO MAINTAINS?		

*The applicant shall also submit to the Village of Lake George a written plan for the periodic cleaning and maintenance of such equipment.*

➤ INSPECTION, OK? Y N IF NOT, WHY? \_\_\_\_\_

# OF DAYS TO BRING INTO COMPLIANCE: \_\_\_\_\_

BUSINESS LICENSE SUSPENDED DURING THIS PERIOD? Y N

IF NOT, NEXT INSPECTION DATE: \_\_\_\_\_

INSPECTION CONDUCTED BY \_\_\_\_\_ DATE \_\_\_\_\_

INSPECTION CONDUCTED BY \_\_\_\_\_ DATE \_\_\_\_\_

I, THE UNDERSIGNED APPLICANT, OWNER, LESSEE, OR PURCHASER UNDER CONTRACT FOR THE PROPERTY, OR PERSON DESIGNATED IN WRITING BY ANY OF THE AFOREMENTIONED PARTIES TO REPRESENT THE APPLICANT AS ATTORNEY OR AGENT, HERBY REQUEST APPROVAL OF THIS APPLICATION BY THE VILLAGE OF LAKE GEORGE FOR THE IDENTIFIED PROPERTY ABOVE. I AGREE TO MEET ALL APPLICABLE REQUIREMENTS OF THE LAKE GEORGE VILLAGE CODE. I UNDERSTAND THAT SIGNING THIS APPLICATION DOES NOT IMPLY APPROVAL OF THIS APPLICATION.

APPLICANT SIGNATURE:			
PRINT NAME :		DATE:	

**IF APPLICANT IS SOMEONE OTHER THAN THE OWNER THEN THE OWNER MUST ALSO SIGN.**

OWNER SIGNATURE:			
PRINT NAME :		DATE:	

# VILLAGE OF LAKE GEORGE, NEW YORK



P. O. BOX 791  
Lake George, NY 12845  
518-668-5771 FAX: 518-668-3735

MAYOR  
Ray Perry

PLANNING AND ZONING CLERK  
Debonnay Meyers  
Email: [planning@lgvillage.org](mailto:planning@lgvillage.org)  
518-668-5771 x30

## TRUSTEES

Joseph Mastrodomenico Jose Filomeno  
Alyson Miller Michael Menter

CODE ENFORCEMENT OFFICER  
James Anagnos

ZONING ADMINISTRATOR  
Dan Barusch  
Email: [dbarusch@townoflakegeorge.gov](mailto:dbarusch@townoflakegeorge.gov)  
518-668-5722 x5

§ 166-26. Interceptors or separators. [Added 4-28-1988 by L.L. No. 5-1988]

A. Grease, oil and sand interceptors or separators shall be installed and maintained in all wastewater lines leading from all sinks, dishwashers or other similar appliances or equipment located in establishments within the Village of Lake George engaged in the preparation, serving, packaging, manufacturing or processing of food or food items, including but not limited to restaurants, cafes, fast-food establishments, school kitchens or cafeterias. Interceptors or separators shall not be required for residential dwellings.

B. It shall be unlawful for the Village of Lake George to issue a building permit at any time for the construction, enlargement or modification of any establishment mentioned in Subsection A or for the Village of Lake George to issue a business license after May 1, 1989, for any such establishment without full and complete compliance with this section.

C. All such interceptors or separators shall be of a type, design and capacity sufficient to ensure that wastewaters prohibited by § 166-24A shall not be introduced into the municipal sewer system.

D. Permits for the installation of interceptors or separators must be acquired from the Village of Lake George and shall be issued only upon compliance with the following:

(1) Applications shall be submitted upon forms provided by the municipality and shall contain plans and specifications, certified by a licensed professional engineer, licensed plumber, technical representative or manufacturer of the interceptors or separators proposed to be installed that, when installed, the equipment will effectively separate grease, oil and sand to the extent necessary to comply with the standards set forth in § 166-24A.

(2) The applicant shall also submit to the Village of Lake George a written plan for the periodic cleaning and maintenance of such equipment.

(3) No such permit shall be issued until a determination is made by the Superintendent that the equipment proposed to be installed is of a sufficient size, design and location and that the applicant's plans for cleaning and maintenance are sufficient to ensure compliance with this section and with the standards set forth in § 166-27 and to ensure proper disposal of all grease and oil removed during cleaning.

E. The superintendent shall be entitled from time to time and at reasonable intervals to enter upon premises required to install and maintain interceptors or separators for the purpose of ensuring continued compliance with this chapter.

F. In addition to the penalties provided for in § 166-38, the Board of Trustees of the Village of Lake George may revoke or suspend the business license of any establishment found to be in violation of this section.

§ 166-24. Acceptability of certain discharges to be determined by Superintendent.

No person shall discharge or cause to be discharged the following described substances, materials, waters or wastes if it appears likely in the opinion of the Superintendent that such wastes can harm either the sewers, sewage treatment process or equipment, have an adverse effect on the receiving stream or can otherwise endanger life, limb, public property or constitute a nuisance. In forming his opinion as to the acceptability of these wastes, the Superintendent will give consideration to such factors as the quantities of subject wastes in relation to flows and velocities in the sewers, materials of construction of the sewers, nature of the sewage

## VILLAGE OF LAKE GEORGE, NEW YORK



P. O. BOX 791  
Lake George, NY 12845  
518-668-5771 FAX: 518-668-3735

MAYOR  
Ray Perry

PLANNING AND ZONING CLERK  
Debonnay Meyers  
Email: [planning@lgvillage.org](mailto:planning@lgvillage.org)  
518-668-5771 x30

### TRUSTEES

Joseph Mastrodomenico Jose Filomeno  
Alyson Miller Michael Menter

CODE ENFORCEMENT OFFICER  
James Anagnos

ZONING ADMINISTRATOR  
Dan Barusch  
Email: [dbarusch@townoflakegeorge.gov](mailto:dbarusch@townoflakegeorge.gov)  
518-668-5722 x5

treatment process, capacity of the sewage treatment plant, degree of treatability of wastes in the sewage treatment plant and other pertinent factors. The substances prohibited are:

- A. Any water or waste containing fats, wax, grease or oils, whether emulsified or not, in excess of 100 mg/l or containing substances which may solidify or become viscous at temperatures between 32° and 150° F. (0° and 65° C.).
- B. Any garbage that has not been properly shredded. The installation and operation of any garbage grinder equipped with a motor of 3/4 horsepower [(0.76) horse power metric] or greater shall be subject to the review and approval of the Superintendent.
- C. Any waters or wastes containing phenols or other taste- or odor-producing substances, in such concentrations exceeding limits which may be established by the Superintendent as necessary, after treatment of the composite sewage, to meet the requirements of the state, federal or other public agencies of jurisdiction for such discharge to the receiving waters.
- D. Materials which exert or cause:
  - (1) Unusual concentrations of inert suspended solids such as, but not limited to, Fullers earth, lime slurries and lime residues, or of dissolved solids such as, but not limited to, sodium chloride and sodium sulfate.
  - (2) Excessive discoloration such as, but not limited to, dye wastes and vegetable tanning solutions.
  - (3) Unusual BOD, chemical oxygen demand or chlorine requirements in such quantities as to constitute a significant load on the sewage treatment works.
  - (4) Unusual volume of flow or concentration of wastes constituting "slugs" as defined herein.
- E. Waters or wastes containing substances which are not amenable to treatment or reduction by the sewage treatment processes employed, or are amenable to treatment only to such degree that the sewage treatment plant effluent cannot meet the requirements of other agencies having jurisdiction over discharge to the receiving waters.
- F. Any liquid or vapor having a temperature higher than 150° F. (65° C.).
- G. Any waters or wastes containing strong acid iron pickling wastes or concentrated plating solutions, whether neutralized or not.
- H. Any waters or wastes containing iron, chromium, copper, zinc and similar objectionable or toxic substances; or wastes exerting an excessive chlorine requirement, to such degree that any such material received in the composite sewage at the sewage treatment works exceeds the limits established by the Superintendent for such materials.
- I. Any radioactive wastes or isotopes of such half-life or concentration as may exceed limits established by the Superintendent in compliance with applicable state or federal regulations.
- J. Any waters or wastes having a pH in excess of 9.5.